



\$Cyc

PATENT--FEE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of:

TIMOTHY J. MARTINS ET AL.

Patent No. 6,680,336

Issued: January 20, 2004

Serial No. 10/077,154

Filed: February 15, 2002

For: CYCLIC AMP-SPECIFIC
PHOSPHODIESTERASE INHIBITORS

Attorney Docket No. 27866/38184

I hereby certify that this paper is being deposited with the United States Postal Service with sufficient postage, as first class mail, in an envelope addressed to:

) Commissioner for Patents
) P.O. Box 1450
) Alexandria, VA 22313-1450.
)
) Dated: June 11, 2004
)
)
) James J. Napoli
) Registration No. 32,361
) Attorney for Applicants

James J. Napoli

REQUEST FOR CERTIFICATE OF
CORRECTION UNDER RULES 322(a) & 323

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

Certificate
JUN 23 2004
of Correction

Patentees respectfully request a Certificate of Correction to be issued for the above-identified U.S. Patent correcting the patent as noted in the attached "Certificate of Correction" form PTO 1050. Duplicate copies of the form are attached hereto.

Errors in the patent can be verified by reference to the application as follows:

06/21/2004 AABDFD2 0000022 6680336
01 FC:1811
100.00 OP

23 JUN 2004

Appn. Page #	Appln. Line #	Column #	Line #	Error by
6	10	3	21	PTO
11	17	5	48	PTO
13	32-33	6	51	PTO
41	5	17	6	PTO
41	7	17	8	PTO
41	12	17	11	PTO
43	28	18	9	PTO
44	14	18	23	PTO
54	8-9	23	34	PTO
54	16	23	40	PTO
54	28	23	50	PTO
55	19	24	3	PTO
57	1	24	39	PTO
57	25	24	39	PTO
57	30	24	54	PTO
59	10	25	38	PTO
60	11	25	66-67	PTO
60	32	26	15-16	PTO
61	13	26	27-28	PTO
61	32	26	48	PTO
62	32	27	10	PTO
63	27	27	29	PTO
64	7	27	37-38	PTO
69	21	30	1	PTO
72	18	31	61	PTO
73	19	32	28	PTO
74	20	32	63-64	PTO
77	12-13	33	66-67	PTO
77	19	34	5	PTO
81	24	35	65	PTO
82	12	36	20	PTO
82	18	36	27	Applicants
86	8	38	47	PTO
86	18	38	55	PTO
86	18	38	55	PTO
86	31	38	last line	PTO
88	2	39	29	PTO
88	24	39	46	PTO
88	27	39	49	PTO
89	33	40	8	PTO
90	16	40	19	PTO
90	19	40	22	PTO

Appln. Page #	Appln. Line #	Column #	Line #	Error by
91	19	40	49	PTO
91	32	40	60	PTO
91-92	33-1	40	62	PTO
94	6	41	51	PTO
94	27	42	1	PTO
97	5	42	63	PTO
98	1	43	21	PTO
98	15	43	32	PTO
99	4	43	51	PTO
99	6	43	52-53	PTO
101	4	44	25	PTO
101	25	44	43	PTO
101	31	44	49	PTO
102	2	44	53	PTO
103	2	45	16	PTO
Amd. "B" dated 6/5/03, page 7	2	45	59	PTO
Amd. "B" dated 6/5/03, page 7	5-6	45	62-63	PTO
Amd. "B" dated 6/5/03, page 7	23	46	13	Applicants
Amd. "B" dated 6/5/03, page 7	26	46	17	PTO
Amd. "B" dated 6/5/03, page 2, claim 48	9	46	44	Applicants
Amd. "B" dated 6/5/03, page 2, claim 48	13	46	49	PTO
Amd. "B" dated 6/5/03, page 2, claim 43	17	46	53	PTO
Amd. "B" dated 6/5/03, page 3	5	46	59	PTO
Amd. "B" dated 6/5/03, page 3	25	47	17	PTO
Amd. "B" dated 6/5/03, page 3	28	47	22	PTO


23 JUN 2004

Our check in the amount of \$100.00 to correct
the error(s) by patentee(s) is submitted herewith.

Respectfully submitted,

MARSHALL, GERSTEIN & BORUN LLP

By



James J. Napoli
(Registration No. 32,361)
Attorneys for Applicants
6300 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606
(312) 474-6300

Chicago, Illinois
June 11, 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 21, "in vivo," should be -- *in vivo*, --
Column 5, line 48, "and-aryl," should be -- and aryl, --
Column 6, line 51, "C-(=O)OR⁷," should be -- C(=O)OR⁷, --
Column 17, line 6, "in vivo" should be -- *in vivo* --
Column 17, line 8, "in vivo" should be -- *in vivo* --
Column 17, line 11, "in vivo" should be -- *in vivo* --
Column 18, line 9, "Nicholson," should be -- Nicholson, --
Column 18, line 23, "in vivo" should be -- *in vivo* --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23, line 34, "in vacuo" should be -- *in vacuo* --
Column 23, line 40, "LiOH.H₂O" should be -- LiOH•H₂O --
Column 23, line 50, "(18.2 g," should be -- (18.2 g, --
Column 24, line 3, "in vacuo" should be -- *in vacuo* --
Column 24, line 39, "in vacuo" should be -- *in vacuo* --
Column 24, line 39, "in vacuo" should be -- *in vacuo* --
Column 24, line 54, "in vacuo" should be -- *in vacuo* --
Column 25, line 38, "in vacuo" should be -- *in vacuo* --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

JUN 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25, lines 66-67, "in vacuo" should be -- *in vacuo* --

Column 26, lines 15-16, "in vacuo" should be -- *in vacuo* --

Column 26, lines 27-28, "Acid Methyl Ester" should be
-- acid methyl ester --

Column 26, line 48, "in vacuo" should be -- *in vacuo* --

Column 27, line 10, "in vacuo" should be -- *in vacuo* --

Column 27, line 29, "in vacuo" should be -- *in vacuo* --

Column 27, lines 37-38, "in vacuo" should be -- *in vacuo* --

Column 30, line 1, "211)," should be -- 2H), --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 31, line 61, "1H NMR" should be -- ^1H NMR --

Column 32, line 28, " 7.51 (r, 1H)," should be
-- 751 (t, 1H), --

Column 32, lines 63-64, "3.57 (g, 2H)," should be
-- 3.57 (q, 2H), --

Column 33, lines 66-67, "Acid Methyl Ester" should be
-- acid methyl ester --

Column 34, line 5, "4.77 (c, ^1H)," should be -- 4.77 (c, 1H), --

Column 35, line 65, "(s, 3N)" should be -- (s, 3H) --

Column 36, line 20, "Carboxylate" should be -- carboxylate --

Column 36, line 27, "(CDCl₃," should be -- (CDCl₃, --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.

MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 38, line 47, "0.1 μ M" should be -- 0.1 pM --

Column 38, line 55, "i.e.," should be -- (i.e., --

Column 38, line 55, "pf" should be -- of --

Column 38, last line, "E_c" should be -- EC₅₀ --

Column 39, line 29, "inflected" should be -- infected --

Column 39, line 46, "2xSC-leu" should be -- 2X SC-leu --

Column 39, line 49, "2xYET/3%" should be -- 2X YET/3% --

Column 40, line 8, "NaH₄PO₄," should be -- NaH₂PO₄, --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 40, line 19, "Y126" should be -- YI26 --
Column 40, line 22, "ZnSo," should be -- ZnSO₄, --
Column 40, line 49, "benzamidln" should be
-- benzamidine --
Column 40, line 60, "benzamidln" should be
-- benzamidine --
Column 40, line 62, "manufacturers" should be
-- manufacturer's --
Column 41, line 51, "ml MOPS" should be -- mM MOPS --
Column 42, line 1, "2 mL" should be -- 2 mM --
Column 42, line 63, " ml MOPS" should be -- mM MOPS --

MAILING ADDRESS OF SENDER:
James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 43, line 21, "cAMP," should be -- cAMP --
Column 43, line 32, "3x10°C." should be -- 3x10⁶ --
Column 43, line 51, "ability or" should be -- ability of --
Column 43, lines 52-53, "in vitro." should be -- in vitro. --
Column 44, line 25, "700 pM" should be -- 700 μM --
Column 44, line 43, "in vivo" should be -- in vivo --
Column 44, line 49, "Cremophor®" should be -- Cremophor® --
Column 44, line 53, "mg/kQ" should be -- mg/kg --

MAILING ADDRESS OF SENDER:
James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 45, line 16, "5,555,751." should be -- 5,665,754. --

Column 45, line 59, "C₁₋₃alkyleneC(=O) R⁷," should be
-- C₁₋₃alkyleneC(=O)R⁷, --

Column 45, lines 62 & 63, "C(=O)C¹⁻³alkylene-C(=O)OR⁷,
C₁₋₃alkyleneheteroaryl," should be
-- C(=O)C₁₋₃alkylene-C(=O)OR⁷, C₁₋₃alkyleneheteroaryl, --

Column 46, line 13, "together form" should be
-- together to form --

Column 46, line 17, "C(=O)aryl," should be -- C(=O)aryl, --

Column 46, line 44, "methyo)" should be -- methyl} --

Column 46, line 49, "4methoxyphenyl)-" should be
-- 4-methoxyphenyl) - --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 46, line 53, "{(phenylsulfonyl) amino}" should be
-- {[phenylsulfonyl]amino] --

Column 46, line 59, "1-[" should be -- 1-{ --

Column 47, line 17, "ethyl}{phenyl" should be
-- ethyl}{methyl --

Column 47, line 22, "ethyl}{phenyl" should be
-- ethyl}{methyl --

MAILING ADDRESS OF SENDER:
James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 21, "in vivo," should be -- *in vivo*, --
Column 5, line 48, "and-aryl," should be -- and aryl, --
Column 6, line 51, "C-(=O)OR⁷," should be -- C(=O)OR⁷, --
Column 17, line 6, "in vivo" should be -- *in vivo* --
Column 17, line 8, "in vivo" should be -- *in vivo* --
Column 17, line 11, "in vivo" should be -- *in vivo* --
Column 18, line 9, "Nicholson," should be -- Nicholson, --
Column 18, line 23, "in vivo" should be -- *in vivo* --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23, line 34, "in vacuo" should be -- *in vacuo* --
Column 23, line 40, "LiOH.H₂O" should be -- LiOH•H₂O --
Column 23, line 50, "(18.2 g," should be -- (18.2 g, --
Column 24, line 3, "in vacuo" should be -- *in vacuo* --
Column 24, line 39, "in vacuo" should be -- *in vacuo* --
Column 24, line 39, "in vacuo" should be -- *in vacuo* --
Column 24, line 54, "in vacuo" should be -- *in vacuo* --
Column 25, line 38, "in vacuo" should be -- *in vacuo* --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.

MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25, lines 66-67, "in vacuo" should be -- *in vacuo* --
Column 26, lines 15-16, "in vacuo" should be -- *in vacuo* --
Column 26, lines 27-28, "Acid Methyl Ester" should be
-- acid methyl ester --
Column 26, line 48, "in vacuo" should be -- *in vacuo* --
Column 27, line 10, "in vacuo" should be -- *in vacuo* --
Column 27, line 29, "in vacuo" should be -- *in vacuo* --
Column 27, lines 37-38, "in vacuo" should be -- *in vacuo* --
Column 30, line 1, "211)," should be -- 2H), --

MAILING ADDRESS OF SENDER:
James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

28 JUN 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 31, line 61, "1H NMR" should be -- ¹H NMR --

Column 32, line 28; " 7.51 (r, 1H)," should be
-- 751 (t, 1H), --

Column 32, lines 63-64, "3.57 (g, 2H)," should be
-- 3.57 (q, 2H), --

Column 33, lines 66-67, "Acid Methyl Ester" should be
-- acid methyl ester --

Column 34, line 5, "4.77 (c, ¹H)," should be -- 4.77 (c, 1H), --

Column 35, line 65, "(s, 3N)" should be -- (s, 3H) --

Column 36, line 20, "Carboxylate" should be -- carboxylate --

Column 36, line 27, "(CDCl," should be -- (CDCl₃, --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 38, line 47, "0.1 μM " should be -- 0.1 pM --

Column 38, line 55, "i.e.," should be -- (i.e., --

Column 38, line 55, "pf" should be -- of --

Column 38, last line, " E_c " should be -- EC₅₀ --

Column 39, line 29, "inflected" should be -- infected --

Column 39, line 46, "2xSC-leu" should be -- 2X SC-leu --

Column 39, line 49, "2xYET/3%" should be -- 2X YET/3% --

Column 40, line 8, "NaH₄PO₄," should be -- NaH₂PO₄, --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 40, line 19, "YI26" should be -- YI26 --

Column 40, line 22, "ZnSo," should be -- ZnSO₄, --

Column 40, line 49, "benzamidlnne" should be
-- benzamidine --

Column 40, line 60, "benzamidlnne" should be
-- benzamidine --

Column 40, line 62, "manufacturers" should be
-- manufacturer's --

Column 41, line 51, "ml MOPS" should be -- mM MOPS --

Column 42, line 1, "2 mL" should be -- 2 mM --

Column 42, line 63, " ml MOPS" should be -- mM MOPS --

MAILING ADDRESS OF SENDER:

James J. Napolitano, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED :- January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 43, line 21, "cAMP," should be -- cAMP --
Column 43, line 32, "3x10°C." should be -- 3x10⁶ --
Column 43, line 51, "ability or" should be -- ability of --
Column 43, lines 52-53, "in vitro." should be -- in vitro. --
Column 44, line 25, "700 pM" should be -- 700 µM --
Column 44, line 43, "in vivo" should be -- in vivo --
Column 44, line 49, "Cremophor°" should be -- Cremophor® --
Column 44, line 53, "mg/kQ" should be -- mg/kg --

MAILING ADDRESS OF SENDER:
James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 45, line 16, "5,555,751." should be -- 5,665,754. --

Column 45, line 59, "C₁₋₃alkyleneC(=O) R⁷," should be
-- C₁₋₃alkyleneC(=O)R⁷, --

Column 45, lines 62, & 63, "C(=O)C¹⁻³alkylene-C(=O)OR⁷,
C₁₋₃alkyleneheteroaryl," should be
-- C(=O)C₁₋₃alkylene-C(=O)OR⁷, C₁₋₃alkyleneheteroaryl, --

Column 46, line 13, "together form" should be
-- together to form --

Column 46, line 17, "C(=O)aryl," should be -- C(=O)aryl, --

Column 46, line 44, "methyo)" should be -- methyl) --

Column 46, line 49, "4methoxyphenyl)-" should be
-- 4-methoxyphenyl)- --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,680,336
DATED : January 20, 2004
INVENTOR(S) : MARTINS ET AL.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 46, line 53, "{(phenylsulfonyl) amino}" should be
-- {[phenylsulfonyl]amino] --

Column 46, line 59, "1-[" should be -- 1-{ --

Column 47, line 17, "ethyl}{phenyl" should be
-- ethyl}{methyl --

Column 47, line 22, "ethyl}{phenyl" should be
-- ethyl}{methyl --

MAILING ADDRESS OF SENDER:

James J. Napoli, Ph.D.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO.: 6,680,336

No. of additional copies: 1

23 JUN 2004